



# Real Time Data Acquisition And Monitoring

Site Name: Sembcorp Gayatri Power Limited

Report: Average Report

From Date: 01-03-2021T00:54:55Z To Date: 01-04-2021T09:00:55Z

Description	STACK_U1-Hg(mg/m3)	STACK_U1-NOx(mg/Nm3)	STACK_U1-SO2(mg/Nm3)	STACK_U1-SPM(mg/Nm3)
Prescribed Standards	0 - 100	0 -	0 -	0 - 150
Maximum Data	NA	298.78	4925.69	54.97
Minimum Data	NA	206.68	425.04	28.0
Geometric Mean	NA	258.96	876.05	33.21
Median	NA	258.18	582.44	33.16
Standard Deviation	NA	24.06	931.14	4.88
Maximum Value At Time	NA	2021-03-16 00:00:00	2021-03-31 00:00:00	2021-03-01 00:00:00
Minimum Value At Time	NA	2021-03-03 00:00:00	2021-03-03 00:00:00	2021-03-12 00:00:00
Valid Data Points	0	31	31	31
Total Data Points	31	31	31	31
Data Availability %	0.0%	100.0%	100.0%	100.0%

SI No	Time	STACK_U1-Hg(mg/m3)	STACK_U1-NOx(mg/Nm3)	STACK_U1-SO2(mg/Nm3)	STACK_U1-SPM(mg/Nm3)
1	2021-03-01 00:00:00	NA	230.27	470.65	54.97
2	2021-03-02 00:00:00	NA	256.29	544.71	35.24
3	2021-03-03 00:00:00	NA	206.68	425.04	31.03
4	2021-03-04 00:00:00	NA	241.07	474.29	29.61
5	2021-03-05 00:00:00	NA	284.28	528.57	29.76
6	2021-03-06 00:00:00	NA	279.80	543.47	30.35
7	2021-03-07 00:00:00	NA	270.59	568.37	30.17
8	2021-03-08 00:00:00	NA	274.09	565.10	28.96
9	2021-03-09 00:00:00	NA	271.76	581.77	29.14
10	2021-03-10 00:00:00	NA	269.24	582.44	29.77
11	2021-03-11 00:00:00	NA	250.83	581.69	28.82
12	2021-03-12 00:00:00	NA	244.02	589.46	28.00
13	2021-03-13 00:00:00	NA	261.17	549.22	29.05
14	2021-03-14 00:00:00	NA	295.21	561.96	31.64

SI No	Time	STACK_U1-Hg(mg/m3)	STACK_U1-NOx(mg/Nm3)	STACK_U1-SO2(mg/Nm3)	STACK_U1-SPM(mg/Nm3)
15	2021-03-15 00:00:00	NA	297.14	546.66	31.38
16	2021-03-16 00:00:00	NA	298.78	574.22	32.55
17	2021-03-17 00:00:00	NA	251.54	622.18	32.91
18	2021-03-18 00:00:00	NA	211.88	546.97	33.41
19	2021-03-19 00:00:00	NA	260.05	648.93	33.16
20	2021-03-20 00:00:00	NA	258.18	626.54	33.64
21	2021-03-21 00:00:00	NA	245.86	659.07	33.67
22	2021-03-22 00:00:00	NA	237.96	643.39	33.45
23	2021-03-23 00:00:00	NA	259.22	673.92	34.84
24	2021-03-24 00:00:00	NA	284.36	699.11	36.17
25	2021-03-25 00:00:00	NA	227.31	636.45	33.53
26	2021-03-26 00:00:00	NA	237.56	660.87	33.17
27	2021-03-27 00:00:00	NA	253.36	865.26	34.03
28	2021-03-28 00:00:00	NA	280.13	1373.63	34.92
29	2021-03-29 00:00:00	NA	295.01	1425.56	35.69
30	2021-03-30 00:00:00	NA	241.19	3462.39	37.22
31	2021-03-31 00:00:00	NA	252.99	4925.69	39.15

Report Details: SGPL | 2021-04-23 10:56:07 | Average Report



# Real Time Data Acquisition And Monitoring

Site Name: Sembcorp Gayatri Power Limited

Report: Average Report

From Date: 01-03-2021T00:54:55Z To Date: 01-04-2021T09:00:55Z

Description	STACK_U2-Hg(mg/m3)	STACK_U2-NOx(mg/Nm3)	STACK_U2-SO2(mg/Nm3)	STACK_U2-SPM(mg/Nm3)
Prescribed Standards	0 - 100	0 -	0 -	0 - 150
Maximum Data	NA	419.21	1797.46	39.46
Minimum Data	NA	284.86	316.65	32.55
Geometric Mean	NA	339.79	572.16	37.02
Median	NA	339.72	440.08	36.98
Standard Deviation	NA	30.36	383.68	1.61
Maximum Value At Time	NA	2021-03-24 00:00:00	2021-03-31 00:00:00	2021-03-30 00:00:00
Minimum Value At Time	NA	2021-03-02 00:00:00	2021-03-03 00:00:00	2021-03-05 00:00:00
Valid Data Points	0	31	31	31
Total Data Points	31	31	31	31
Data Availability %	0.0%	100.0%	100.0%	100.0%

SI No	Time	STACK_U2-Hg(mg/m3)	STACK_U2-NOx(mg/Nm3)	STACK_U2-SO2(mg/Nm3)	STACK_U2-SPM(mg/Nm3)
1	2021-03-01 00:00:00	NA	334.45	355.31	38.69
2	2021-03-02 00:00:00	NA	284.86	332.82	39.44
3	2021-03-03 00:00:00	NA	287.79	316.65	34.95
4	2021-03-04 00:00:00	NA	344.60	364.84	35.93
5	2021-03-05 00:00:00	NA	327.98	362.94	32.55
6	2021-03-06 00:00:00	NA	299.18	332.49	34.70
7	2021-03-07 00:00:00	NA	294.46	342.04	36.98
8	2021-03-08 00:00:00	NA	351.56	320.89	36.52
9	2021-03-09 00:00:00	NA	339.72	393.29	35.95
10	2021-03-10 00:00:00	NA	314.23	416.08	37.10
11	2021-03-11 00:00:00	NA	329.88	376.73	37.83
12	2021-03-12 00:00:00	NA	324.72	456.54	38.05
13	2021-03-13 00:00:00	NA	345.71	406.33	37.06
14	2021-03-14 00:00:00	NA	298.78	424.72	35.46

SI No	Time	STACK_U2-Hg(mg/m3)	STACK_U2-NOx(mg/Nm3)	STACK_U2-SO2(mg/Nm3)	STACK_U2-SPM(mg/Nm3)
15	2021-03-15 00:00:00	NA	343.15	396.88	36.48
16	2021-03-16 00:00:00	NA	317.63	402.95	36.70
17	2021-03-17 00:00:00	NA	383.15	451.66	36.17
18	2021-03-18 00:00:00	NA	323.22	440.08	34.94
19	2021-03-19 00:00:00	NA	353.99	493.11	37.17
20	2021-03-20 00:00:00	NA	349.38	499.82	36.96
21	2021-03-21 00:00:00	NA	334.82	508.95	38.01
22	2021-03-22 00:00:00	NA	330.59	527.53	38.73
23	2021-03-23 00:00:00	NA	358.70	544.10	38.68
24	2021-03-24 00:00:00	NA	419.21	498.31	39.42
25	2021-03-25 00:00:00	NA	354.79	475.28	36.32
26	2021-03-26 00:00:00	NA	356.82	492.76	37.20
27	2021-03-27 00:00:00	NA	380.19	814.58	36.32
28	2021-03-28 00:00:00	NA	357.60	1286.76	36.17
29	2021-03-29 00:00:00	NA	376.70	1255.24	38.31
30	2021-03-30 00:00:00	NA	380.28	1649.69	39.46
31	2021-03-31 00:00:00	NA	335.43	1797.46	39.42

Report Details: SGPL | 2021-04-23 10:58:14 | Average Report



# Real Time Data Acquisition And Monitoring

Site Name: Sembcorp Gayatri Power Limited

Report: Average Report

From Date: 01-03-2021T00:54:55Z To Date: 01-04-2021T09:00:55Z

Description	Field_Hostel-CO(ppm)	Field_Hostel-NOx(ppm)	Field_Hostel-PM2.5(ug/Nm3)	Field_Hostel-PM10(ug/Nm3)	Field_Hostel-SO2(ppm)
Prescribed Standards	0 - 100	0 - 100	0 - 100	0 - 100	0 - 100
Maximum Data	2.0	11.96	24.93	42.72	6.07
Minimum Data	0.21	2.2	3.22	5.85	1.47
Geometric Mean	0.87	4.37	12.46	22.9	2.86
Median	0.46	3.91	12.91	21.36	1.9
Standard Deviation	0.74	1.92	5.65	10.58	1.66
Maximum Value At Time	2021-03-03 00:00:00	2021-03-31 00:00:00	2021-03-31 00:00:00	2021-03-31 00:00:00	2021-03-03 00:00:00
Minimum Value At Time	2021-03-11 00:00:00	2021-03-19 00:00:00	2021-03-09 00:00:00	2021-03-09 00:00:00	2021-03-19 00:00:00
Valid Data Points	31	31	31	31	31
Total Data Points	31	31	31	31	31
Data Availability %	100.0%	100.0%	100.0%	100.0%	100.0%

Sl No	Time	Field_Hostel-CO(ppm)	Field_Hostel-NOx(ppm)	Field_Hostel-PM2.5(ug/Nm3)	Field_Hostel-PM10(ug/Nm3)	Field_Hostel-SO2(ppm)
1	2021-03-01 00:00:00	1.98	2.66	4.94	8.15	4.83
2	2021-03-02 00:00:00	1.99	5.46	10.21	18.10	5.08
3	2021-03-03 00:00:00	2.00	7.92	17.30	28.08	6.07
4	2021-03-04 00:00:00	1.98	4.29	13.20	23.64	5.25
5	2021-03-05 00:00:00	1.99	4.53	11.75	21.36	5.35
6	2021-03-06 00:00:00	1.99	6.36	10.96	20.00	5.55
7	2021-03-07 00:00:00	1.98	5.20	7.74	14.68	5.41
8	2021-03-08 00:00:00	1.96	3.69	5.11	10.53	5.19
9	2021-03-09 00:00:00	1.96	3.50	3.22	5.85	5.15
10	2021-03-10 00:00:00	1.22	3.45	7.13	21.38	3.43
11	2021-03-11 00:00:00	0.21	3.70	15.40	39.42	1.90
12	2021-03-12 00:00:00	0.25	3.81	14.95	33.23	1.75
13	2021-03-13 00:00:00	0.25	4.15	5.93	12.20	1.70

SI No	Time	Field_Hostel-CO(ppm)	Field_Hostel-NOx(ppm)	Field_Hostel-PM2.5(ug/Nm3)	Field_Hostel-PM10(ug/Nm3)	Field_Hostel-SO2(ppm)
14	2021-03-14 00:00:00	0.25	4.38	4.82	8.96	1.51
15	2021-03-15 00:00:00	0.27	3.25	5.34	9.87	1.49
16	2021-03-16 00:00:00	0.32	4.39	8.62	13.74	1.54
17	2021-03-17 00:00:00	0.29	4.19	8.14	14.43	1.59
18	2021-03-18 00:00:00	0.33	3.47	17.21	24.09	1.96
19	2021-03-19 00:00:00	0.35	2.20	12.91	20.34	1.47
20	2021-03-20 00:00:00	0.39	2.88	14.47	21.36	1.49
21	2021-03-21 00:00:00	0.42	4.85	14.68	25.68	1.55
22	2021-03-22 00:00:00	0.39	3.91	14.04	26.97	1.51
23	2021-03-23 00:00:00	0.42	2.89	20.06	38.72	1.57
24	2021-03-24 00:00:00	0.45	3.78	20.63	41.53	1.61
25	2021-03-25 00:00:00	0.46	4.20	19.51	36.24	1.66
26	2021-03-26 00:00:00	0.47	2.82	22.08	40.13	1.66
27	2021-03-27 00:00:00	0.49	2.74	15.82	27.71	1.82
28	2021-03-28 00:00:00	0.50	2.92	11.22	19.64	2.07
29	2021-03-29 00:00:00	0.55	4.38	9.77	18.42	2.92
30	2021-03-30 00:00:00	0.54	7.49	14.16	22.86	2.31
31	2021-03-31 00:00:00	0.45	11.96	24.93	42.72	2.35

**Report Details:** SGPL | 2021-04-23 11:02:09 | Average Report



# Real Time Data Acquisition And Monitoring

Site Name: Sembcorp Gayatri Power Limited

Report: Average Report

From Date: 01-03-2021T00:54:55Z To Date: 01-04-2021T09:00:55Z

Description	Fire_station-CO(mg/m3)	Fire_station-NOx(ug/m3)	Fire_station-PM2.5(ug/m3)	Fire_station-PM10(ug/m3)	Fire_station-SO2(ug/m3)
Prescribed Standards	0 - 4	0 - 80	0 - 60	0 - 100	0 - 80
Maximum Data	0.72	45.14	96.62	114.81	13.73
Minimum Data	0.18	0.95	0.22	2.43	2.08
Geometric Mean	0.46	8.23	17.27	25.02	5.58
Median	0.46	6.67	13.72	19.38	3.0
Standard Deviation	0.16	9.6	16.85	21.49	4.39
Maximum Value At Time	2021-03-30 00:00:00	2021-03-28 00:00:00	2021-03-09 00:00:00	2021-03-09 00:00:00	2021-03-03 00:00:00
Minimum Value At Time	2021-03-09 00:00:00	2021-03-01 00:00:00	2021-03-30 00:00:00	2021-03-01 00:00:00	2021-03-09 00:00:00
Valid Data Points	31	31	31	31	31
Total Data Points	31	31	31	31	31
Data Availability %	100.0%	100.0%	100.0%	100.0%	100.0%

Sl No	Time	Fire_station-CO(mg/m3)	Fire_station-NOx(ug/m3)	Fire_station-PM2.5(ug/m3)	Fire_station-PM10(ug/m3)	Fire_station-SO2(ug/m3)
1	2021-03-01 00:00:00	0.56	0.95	2.90	2.43	12.65
2	2021-03-02 00:00:00	0.59	1.28	7.70	8.61	12.93
3	2021-03-03 00:00:00	0.63	2.49	13.72	14.28	13.73
4	2021-03-04 00:00:00	0.58	1.84	10.14	10.34	12.80
5	2021-03-05 00:00:00	0.58	1.50	8.65	8.73	12.51
6	2021-03-06 00:00:00	0.59	2.31	11.03	9.08	13.06
7	2021-03-07 00:00:00	0.57	1.82	6.18	5.30	12.45
8	2021-03-08 00:00:00	0.47	6.92	6.36	11.20	11.83
9	2021-03-09 00:00:00	0.18	7.19	96.62	114.81	2.08
10	2021-03-10 00:00:00	0.21	6.94	19.88	41.49	2.49
11	2021-03-11 00:00:00	0.24	6.57	25.33	52.39	2.17
12	2021-03-12 00:00:00	0.29	7.19	9.29	19.38	2.33
13	2021-03-13 00:00:00	0.28	7.02	8.59	13.79	3.00

SI No	Time	Fire_station-CO(mg/m3)	Fire_station-NOx(ug/m3)	Fire_station-PM2.5(ug/m3)	Fire_station-PM10(ug/m3)	Fire_station-SO2(ug/m3)
14	2021-03-14 00:00:00	0.30	7.21	6.38	10.27	2.43
15	2021-03-15 00:00:00	0.30	6.27	7.64	12.70	2.59
16	2021-03-16 00:00:00	0.36	6.95	10.30	13.00	2.47
17	2021-03-17 00:00:00	0.33	6.83	10.95	16.96	3.14
18	2021-03-18 00:00:00	0.38	5.66	17.60	20.51	2.79
19	2021-03-19 00:00:00	0.41	6.50	18.67	21.59	2.76
20	2021-03-20 00:00:00	0.40	6.06	18.64	24.51	2.86
21	2021-03-21 00:00:00	0.42	6.72	18.62	27.93	2.93
22	2021-03-22 00:00:00	0.39	5.63	17.90	30.55	2.89
23	2021-03-23 00:00:00	0.42	5.40	23.52	38.28	3.47
24	2021-03-24 00:00:00	0.46	7.52	24.45	37.21	2.96
25	2021-03-25 00:00:00	0.46	6.67	24.53	38.55	3.22
26	2021-03-26 00:00:00	0.54	14.65	14.81	29.24	3.12
27	2021-03-27 00:00:00	0.65	39.65	31.07	43.92	2.83
28	2021-03-28 00:00:00	0.69	45.14	32.52	47.43	4.29
29	2021-03-29 00:00:00	0.65	11.43	23.17	13.07	6.97
30	2021-03-30 00:00:00	0.72	8.41	0.22	27.71	4.35
31	2021-03-31 00:00:00	0.71	4.54	7.96	10.39	2.80

**Report Details:** SGPL | 2021-04-23 10:59:47 | Average Report





# Real Time Data Acquisition And Monitoring

Site Name: Sembcorp Gayatri Power Limited

Report: Average Report

From Date: 01-03-2021T00:54:55Z To Date: 01-04-2021T09:00:55Z

Description	Near_Isukuduru_Village_Gate-NOx(ug/m3)	Near_Isukuduru_Village_Gate-PM2.5(ug/m3)	Near_Isukuduru_Village_Gate-PM10(ug/m3)	Near_Isukuduru_Village_Gate-SO2(ug/m3)
Prescribed Standards	0 - 80	0 - 60	0 - 100	0 - 80
Maximum Data	20.28	23.75	43.32	20.51
Minimum Data	0.26	4.93	5.58	10.63
Geometric Mean	2.34	11.75	20.43	14.11
Median	1.55	10.44	19.98	11.89
Standard Deviation	3.45	4.77	9.78	3.94
Maximum Value At Time	2021-03-30 00:00:00	2021-03-03 00:00:00	2021-03-24 00:00:00	2021-03-03 00:00:00
Minimum Value At Time	2021-03-19 00:00:00	2021-03-17 00:00:00	2021-03-08 00:00:00	2021-03-10 00:00:00
Valid Data Points	31	31	31	31
Total Data Points	31	31	31	31
Data Availability %	100.0%	100.0%	100.0%	100.0%

Sl No	Time	Near_Isukuduru_Village_Gate-NOx(ug/m3)	Near_Isukuduru_Village_Gate-PM2.5(ug/m3)	Near_Isukuduru_Village_Gate-PM10(ug/m3)	Near_Isukuduru_Village_Gate-SO2(ug/m3)
1	2021-03-01 00:00:00	0.56	5.58	6.44	20.05
2	2021-03-02 00:00:00	2.50	14.39	12.15	20.24
3	2021-03-03 00:00:00	4.80	23.75	19.58	20.51
4	2021-03-04 00:00:00	1.46	17.56	14.33	20.38
5	2021-03-05 00:00:00	1.24	15.80	12.80	20.36
6	2021-03-06 00:00:00	2.99	14.97	12.31	20.44
7	2021-03-07 00:00:00	2.47	10.21	8.68	20.51
8	2021-03-08 00:00:00	1.56	7.69	5.58	20.45
9	2021-03-09 00:00:00	1.15	13.02	7.77	18.13
10	2021-03-10 00:00:00	1.17	12.93	21.01	10.63

Sl No	Time	Near_Isukuduru_Village_Gate-NOx(ug/m3)	Near_Isukuduru_Village_Gate-PM2.5(ug/m3)	Near_Isukuduru_Village_Gate-PM10(ug/m3)	Near_Isukuduru_Village_Gate-SO2(ug/m3)
11	2021-03-11 00:00:00	2.03	21.19	28.32	11.09
12	2021-03-12 00:00:00	2.35	20.56	23.49	11.18
13	2021-03-13 00:00:00	1.81	8.37	11.95	11.19
14	2021-03-14 00:00:00	1.55	9.40	12.27	11.29
15	2021-03-15 00:00:00	2.50	15.72	13.01	11.25
16	2021-03-16 00:00:00	1.42	7.96	15.13	11.25
17	2021-03-17 00:00:00	1.55	4.93	14.71	12.14
18	2021-03-18 00:00:00	1.56	8.66	23.44	11.66
19	2021-03-19 00:00:00	0.26	6.05	19.98	11.71
20	2021-03-20 00:00:00	0.84	7.62	22.18	11.96
21	2021-03-21 00:00:00	1.44	8.79	25.16	11.69
22	2021-03-22 00:00:00	1.27	9.20	28.20	11.71
23	2021-03-23 00:00:00	0.79	13.38	38.36	11.76
24	2021-03-24 00:00:00	1.39	14.15	43.32	11.80
25	2021-03-25 00:00:00	1.64	12.20	34.30	11.84
26	2021-03-26 00:00:00	0.75	13.63	38.00	11.84
27	2021-03-27 00:00:00	1.54	10.44	29.68	11.99
28	2021-03-28 00:00:00	1.82	6.60	21.26	12.03
29	2021-03-29 00:00:00	2.91	8.48	18.17	12.10
30	2021-03-30 00:00:00	20.28	13.84	27.38	11.89
31	2021-03-31 00:00:00	2.86	7.20	24.29	12.39